

# CERTIFICATE

**TÜV NORD CERT GmbH**  
herewith declares that

**HENGDIAN GROUP DMEGC MAGNETICS CO., LTD.**  
Hengdian Industrial Zone  
Dongyang City, Zhejiang Province, 322118,  
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:



**Description of product (details see Annex 2):**

**Double Glass PV Modules with 6" Half-Cut Mono-crystalline Silicon Bifacial Solar Cells**

**Double Glass PV Modules with 7" Half-Cut Mono-crystalline Silicon Bifacial Solar Cells**

Valid until: 2026-09-23

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC 62716:2013 / EN 62716:2013 + AC:2014.
Registered No.:	44 780 21 406749 - 202
Manufacturer:	see Annex 1
Test Report No.:	492011807.001
File No.:	PVP11058/20P-01



Essen, 2021-09-24

  
**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 21 406749 - 202

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: PVP11058/20P-01

2021-09-24

**Manufacturer:**

Manufacturer: **HENGDIAN GROUP DMEGC MAGNETICS CO., LTD.**  
Hengdian Industrial Zone  
Dongyang City, Zhejiang Province, 322118, P.R. China

Factory inspection report no.: 862010401.002

**Remark:**

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.

A handwritten signature in blue ink, appearing to read "Robin Niao".

**TÜV NORD CERT GmbH**  
Certification Body  
Consumer Products

**Description of product(s):**

Module types:

**Double Glass PV Modules with 6" Half-Cut Mono-crystalline Silicon Bifacial Solar Cells:**

144 cells: DMxxxM6-B72HSW (xxx=420-445, in step of 5)

144 cells: DMxxxM6-B72HBW (xxx=420-445, in step of 5)

144 cells: DMxxxM6-B72HBT (xxx=420-445, in step of 5)

144 cells: DMxxxM6-B72HST (xxx=420-445, in step of 5)

120 cells: DMxxxM6-B60HSW (xxx=350-370, in step of 5)

120 cells: DMxxxM6-B60HBW (xxx=350-370, in step of 5)

120 cells: DMxxxM6-B60HBT (xxx=350-370, in step of 5)

120 cells: DMxxxM6-B60HST (xxx=350-370, in step of 5)

144 cells: GHxxxM6-B72HSW (xxx=420-445, in step of 5)

144 cells: GHxxxM6-B72HST (xxx=420-445, in step of 5)

120 cells: GHxxxM6-B60HSW (xxx=350-370, in step of 5)

120 cells: GHxxxM6-B60HST (xxx=350-370, in step of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V

Fuse rating: 25A

Application class: Class A

Electrical protection class: Class II

Module types:

**Double Glass PV Modules with 7" Half-Cut Mono-crystalline Silicon Bifacial Solar Cells:**

144 cells: DMxxxM10-B72HSW (xxx=525-550, in step of 5)

144 cells: DMxxxM10-B72HBW (xxx=525-550, in step of 5)

144 cells: DMxxxM10-B72HBT (xxx=525-550, in step of 5)

144 cells: DMxxxM10-B72HST (xxx=525-550, in step of 5)

120 cells: DMxxxM10-B60HSW (xxx=440-455, in step of 5)

120 cells: DMxxxM10-B60HBW (xxx=440-455, in step of 5)

120 cells: DMxxxM10-B60HBT (xxx=440-455, in step of 5)

120 cells: DMxxxM10-B60HST (xxx=440-455, in step of 5)

108 cells: DMxxxM10-B54HSW (xxx=395-410, in step of 5)

108 cells: DMxxxM10-B54HBW (xxx=395-410, in step of 5)

108 cells: DMxxxM10-B54HBT (xxx=395-410, in step of 5)

108 cells: DMxxxM10-B54HST (xxx=395-410, in step of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.

Maximum system voltage: 1500V  
Fuse rating: 30A  
Application class: Class A  
Electrical protection class: Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.