



Product Service

# Attestation of Conformity

No. T8A 114397 0045 Rev. 00

**Holder of Attestation:** **Autel Digital Power Co., Ltd.**  
Floors 1, 2, 3 and 6  
Caihong Keji Building  
36 Hi-tech North Six Road, Songpingshan Community  
Xili Sub-district, Nanshan District  
518000 Shenzhen, Guangdong  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **DC electric vehicle charging station**

This Attestation of Conformity is issued on a voluntary basis in support of the Conformity Assessment Module A of Radio Equipment Directive 2014/53/EU. On the basis of the referenced test reports, the samples of the listed product were found to comply with the essential requirements of the above mentioned directive as implemented in the standards used valid at the time the tests were carried out. For the requirements of the Article(s) 3(2) and 3(3) only harmonized standards valid at the moment of issuing were used. The used standards cover the essential requirements of the Radio Equipment Directive as applicable to this product. The manufacturer must ensure compliance of the manufactured products with the technical documentation and other requirements of the Radio Equipment Directive that apply to them. National legal requirements have to be considered before bringing the product to the market. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 64913243003501

**Date,** 2024-04-08

( Peter Jia )

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. T8A 114397 0045 Rev. 00

**Model(s):** DC HiPower Power Cabinet:  
 ES64066101-21, ES64066101-12, ES64084101-11, ES64046101-22, ES48046101-22, ES48084101-11, ES36084101-11, ES36046101-22, ES32084101-11, ES32046101-22  
 DC HiPower Liquid Dispenser: ET480A6301  
 DC HiPower Air Dispenser: ET240A4301

**Parameters:**

Ratings:	<p>ES64084101-11:                  AC input 1, 2: 400Vac, 500A/350kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 300A, Max 240kW                  DC Output 5, 6, 7, 8: 150-950Vdc, Nom. 300A, Max 240kW                  AC Output 9,10,11,12: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES64066101-21:                  AC input 1, 2: 400Vac, 500A/350kVA, 3P+N+PE, 50Hz                  DC Output 1, 2: 150-950Vdc, Nom. 500A, Max 475kW                  DC Output 3, 4, 5, 6: 150-950Vdc, Nom. 300A, Max 240kW                  AC Output 7, 8, 9,10: 400Vac,10A, 2P+PE, 50Hz</p> <p>ES64066101-12:                  AC input 1, 2: 400Vac, 500A/350kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 300A, Max 240kW                  DC Output 5, 6: 150-950Vdc, Nom. 500A, Max 475kW                  AC Output 7, 8, 9,10: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES64046101-22:                  AC input 1, 2: 400Vac, 500A/350kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 500A, Max 475kW                  AC Output 5, 6: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES48046101-22:                  AC input 1, 2: 400Vac, 375A/260kVA, 3P+N+PE, 50Hz                  DC Output 1,2,3,4: 150-950Vdc, Nom. 500A, Max 400kW                  AC Output 5,6: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES48084101-11:                  AC input 1, 2: 400Vac, 375A/260kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 300A, Max 240kW                  DC Output 5, 6, 7, 8: 150-950Vdc, Nom. 300A, Max 240kW                  AC Output 9,10,11,12: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES36084101-11:</p>
----------	--

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



# Attestation of Conformity

No. T8A 114397 0045 Rev. 00

	<p>AC input 1, 2: 400Vac, 285A/200kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 300A, Max 240kW                  DC Output 5, 6, 7, 8: 150-950Vdc, Nom. 300A, Max 240kW                  AC Output 9,10, 11, 12: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES36046101-22:                  AC input 1, 2: 400Vac, 285A/200kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4:150-950Vdc, Nom. 500A, Max 280kW                  AC Output 5, 6: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES32084101-11:                  AC input 1, 2: 400Vac, 250A/175kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 300A, Max 240kW                  DC Output 5, 6, 7, 8: 150-950Vdc, Nom. 300A, Max 240kW                  AC Output 9, 10, 11, 12: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ES32046101-22:                  AC input 1, 2: 400Vac, 250A/175kVA, 3P+N+PE, 50Hz                  DC Output 1, 2, 3, 4: 150-950Vdc, Nom. 500A, Max 280kW                  AC Output 5, 6: 400Vac, 10A, 2P+PE, 50Hz</p> <p>ET480A6301:                  DC Input 1, 2: 150-950Vdc, Nom. 500A, Max. 475kW                  AC Input 3: 400Vac, 10A, 2P+PE 50Hz                  DC Output 1, 2: 150-950Vdc, Nom. 500A, Max. 475kW</p> <p>ET240A4301:                  DC Input 1, 2: 150-950Vdc, Nom. 300A, Max. 240kW                  AC Input 3: 400Vac, 10A, 2P+PE, 50Hz                  DC Output 1, 2: 150-950Vdc Nom. 300A, Max. 240kW</p>
<p>Protection class:</p>	<p>I</p>
<p>Remark:                  Report No.:</p> <p>64.913.24.30035.01 (EN 301 489-1 V2.2.3:2019, EN 301 489-3 V2.3.2:2023, EN 301 489-17 V3.2.4:2020, EN 301 489-52 V1.2.1:2021, EN IEC 61851-21-2:2021 )</p> <p>64.913.24.30035.01-R1 (EN 300 330 V2.1.1:2017, EN 62311:2008, EN IEC 62311:2020)</p> <p>64.913.24.30035.01-R2 (EN 300 328 V2.2.2:2019, EN 62311:2008, EN IEC 62311:2020)</p> <p>64.913.24.30035.01-R3 (EN 301 908-1 V15.1.1:2021, EN 301 908-13 V13.2.1:2022)</p> <p>64.913.24.30035.01-EMF (EN 62311:2008, EN IEC 62311:2020)</p> <p>64.105.24.30032.01 (EN IEC 61851-1:2019, EN 61851-23:2014, EN 61851-24:2014)</p>	

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. T8A 114397 0045 Rev. 00

**Tested  
according to:**

EN 300 328 V2.2.2:2019  
EN 300 330 V2.1.1:2017  
EN 301 908-1 V15.1.1:2021  
EN 301 908-13 V13.2.1:2022  
EN 62311:2008  
EN IEC 62311:2020  
EN 301 489-1 V2.2.3:2019  
EN 301 489-3 V2.3.2:2023  
EN 301 489-17 V3.2.4:2020  
EN 301 489-52 V1.2.1:2021  
EN IEC 61851-21-2:2021  
EN IEC 61851-1:2019  
EN 61851-23:2014  
EN 61851-24:2014

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.